California Regional Water Quality Control Board
North Coast Region

ATTACHMENT 'C' – "Report Format for Priority Toxic Pollutants"

Permittee: _____ Name of Laboratory: _____

WDID No.: _____ ELAP No.: _____

Contact Name: _____ Laboratory Contact: _____

Phone Number: _____ Phone Number: _____

Type of Sample (Receiving Water vs. Effluent): _____ Report Number: _____

*IF RECEIVING WATER SAMPLE, FILL IN THE FOLLOWING INFORMATION:

Water Body: _____ pH: _____ Hardness: _____

Sample Location: _____ Salinity: _____ Flow Rate: _____
(if a discharge is to a river or creek)

CTR #	Constituent	Date Sample Collected	Sample Collection Method	Date Sample Analyzed	USEPA Method Used	Analytical Results (µg/L)	ML[1] (µg/L)	MDL[2] (µg/L)	RDL[3] (µg/L)	Comments
1.	Antimony									
2.	Arsenic									
3.	Beryllium									
4.	Cadmium									
5a.	Chromium (total)									

[1] ML is the concentration at which the entire analytical system must give a recognizable signal and acceptable calibration point. The ML is the concentration in a sample that is equivalent to the concentration of the lowest calibration standard analyzed by a specific analytical procedure, assuming that all the method specified sample weights, volumes, and processing steps have been followed.

[2] MDL is the minimum concentration of a substance that can be measured and reported with 99 percent confidence that the analyte concentration is greater than zero, as defined in 40 CFR 136, Appendix B, revised as of May 14, 1999.

[3] RDL is the detection level that results from the actual sampling event, which is reported on the monitoring report. The RDL may be higher than the Method Detection Level (MDL) for the sampling technique being used due to the presence of detection interferences in the sample.

CTR #	Constituent	Date Sample Collected	Sample Collection Method	Date Sample Analyzed	USEPA Method Used	Analytical Results (µg/L)	ML[1] (µg/L)	MDL[2] (µg/L)	RDL[3] (µg/L)	Comments
5b.	Chromium (VI)									
6.	Copper									
7.	Lead									
8.	Mercury									
9.	Nickel									
10.	Selenium									
11.	Silver									
12.	Thallium									
13.	Zinc									
14.	Cyanide									
15.	Asbestos									
16.	2, 3, 7, 8-TCDD (Dioxin)									
17.	Acrolein									
18.	Acrylonitrile									
19.	Benzene									
20.	Bromoform									
21.	Carbon Tetrachloride									
22.	Chlorobenzene									
23.	Chlorodibromomethane									
24.	Chloroethane									
25.	2-Chloroethylvinyl Ether									
26.	Chloroform									
27.	Dichlorobromomethane									
28.	1,1-Dichloroethane									
29.	1,2-Dichloroethane									
30.	1, 1-Dichloroethylene									
31.	1, 2-Dichloropropane									
32.	1, 3 –Dichloropropylene									
33.	Ethylbenzene									
34.	Methyl Bromide									
35.	Methyl Chloride									
36.	Methylene Chloride									
37.	1,1,2,2-Tetrachloroethane									
38.	Tetrachloroethylene									

CTR #	Constituent	Date Sample Collected	Sample Collection Method	Date Sample Analyzed	USEPA Method Used	Analytical Results (µg/L)	ML[1] (µg/L)	MDL[2] (µg/L)	RDL[3] (µg/L)	Comments
39.	Toluene									
40.	1,2-Trans-Dichloroethylene									
41.	1,1,1-Trichloroethane									
42.	1,1,2-Trichloroethane									
43.	Trichloroethylene									
44.	Vinyl Chloride									
45.	2-Chlorophenol									
46.	2,4-Dichlorophenol									
47.	2,4-Dimethylphenol									
48.	2-Methyl-4,6-Dinitrophenol									
49.	2,4-Dinitrophenol									
50.	2-Nitrophenol									
51.	4-Nitrophenol									
52.	3-Methyl-4-Chlorophenol									
53.	Pentachlorophenol									
54.	Phenol									
55.	2,4,6- Trichlorophenol									
56.	Acenaphthene									
57.	Acenaphthylene									
58.	Anthracene									
59.	Benzidine									
60.	Benzo(a)Anthracene									
61.	Benzo(a)Pyrene									
62.	Benzo(b)Fluoranthene									
63.	Benzo(ghi)Perylene									
64.	Benzo(k)Fluoranthene									
65.	Bis(2-Chloroethoxy) Methane									
66.	Bis(2-Chloroethyl) Ether									
67.	Bis(2-Chloroisopropyl) Ether									
68.	Bis(2-Ethylhexyl) Phthalate									

CTR #	Constituent	Date Sample Collected	Sample Collection Method	Date Sample Analyzed	USEPA Method Used	Analytical Results (µg/L)	ML[1] (µg/L)	MDL[2] (µg/L)	RDL[3] (µg/L)	Comments
69.	4-Bromophenyl Phenyl Ether									
70.	Butylbenzyl Phthalate									
71.	2-Chloronaphthalene									
72.	4-Chlorophenyl Phenyl Ether									
73.	Chrysene									
74.	Dibenzo(a,h) Anthracene									
75.	1, 2 Dichlorobenzene									
76.	1, 3 Dichlorobenzene									
77.	1, 4 Dichlorobenzene									
78.	3,3'-Dichlorobenzidine									
79.	Diethyl Phthalate									
80.	Dimethyl Phthalate									
81.	Di-n-Butyl Phthalate									
82.	2,4-Dinitrotoluene									
83.	2,6-Dinitrotoluene									
84.	Di-n-Octyl Phthalate									
85.	1,2-Diphenylhydrazine									
86.	Fluoranthene									
87.	Fluorene									
88.	Hexachlorobenzene									
89.	Hexachlorobutadiene									
90.	Hexachlorocyclopentadiene									
91.	Hexachloroethane									
92.	Indeno(1,2,3-cd)Pyrene									
93.	Isophorone									
94.	Naphthalene									
95.	Nitrobenzene									
96.	N-Nitrosodimethylamine									
97.	N-Nitrosodi-n-Propylamine									
98.	N-Nitrosodiphenylamine									
99.	Phenanthrene									
100.	Pyrene									

CTR #	Constituent	Date Sample Collected	Sample Collection Method	Date Sample Analyzed	USEPA Method Used	Analytical Results (µg/L)	ML[1] (µg/L)	MDL[2] (µg/L)	RDL[3] (µg/L)	Comments
101.	1,2,4-Trichlorobenzene									
102.	Aldrin									
103.	alph-BHC									
104.	beta-BHC									
105.	gamma-BHC									
106.	Delta-BHC									
107.	Chlordane									
108.	4,4'-DDT									
109.	4,4'-DDE									
110.	4,4'-DDD									
111.	Dieldrin									
112.	alpha-Endosulfan									
113.	beta-Endosulfan									
114.	Endosulfan Sulfate									
115.	Endrin									
116.	Endrin Aldehyde									
117.	Heptachlor									
118.	Heptachlor Epoxide									
119-125	Polychlorinated biphenyls (PCBs)									
126.	Toxaphene									